Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5039141	@ad<"20010209"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/30 09:57
L2	786	L1 and (matrix stack list store database) with key near2 (id identification)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/30 09:57
L3	5039141	@ad<"20010209"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/30 09:57
L4	49	L3 and encryption adj key and key with tree	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/30 09:57
L5	24	key adj matrix and ibm	US-PGPUB	OR	ON	2007/01/30 09:57
L6	465	"1" and 380/278.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/30 09:58
L7	. 30	L6 and 713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/30 09:58
L8	319	L1 and path same tree same key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/30 09:58
L9	14	L8 and encryption adj key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/30 09:58
S1	1	"6,125,185".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/11 15:48

S2	5014594	@ad<"20010209"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/14 09:51
S3	2142	S2 and (matrix stack list store database) with key with (id identification)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/12/27 12:12
S4	0	S3 and ("380" "713" "726")/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/12/27 12:11
S5	577	S3 and ("380".clas. "726".clas. "713".clas.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/12/27 12:12
S6	731	S2 and (matrix stack list store database) with key near2 (id identification)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/12/27 12:12
S7	200	S6 and S5	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR .	ON	2005/12/27 12:12
S8	147	S2 and (matrix stack list store database) with key with (id identification) near3 (Device computer workstation host)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/12/27 12:13
S9	52	S2 and (matrix stack list store database) with key with (id identification) near3 (Device computer workstation host) and encryption adj key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/12/27 12:22
S10	304	S2 and path same tree same key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/12/27 12:23
S11	9	S10 and encryption adj key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/12/27 15:48

			_			•
S12	1230	"1" and 713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/12/27 15:48
S13	363	"1" and 380/278.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/12/27 15:48
S14	363	S13 and 380/278.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/12/27 15:48
S15	19	S13 and 713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/12/27 15:49
S16	26	S14 and tree	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/12/27 15:49
S17	391	"2" and array with position and encryption with key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/11 15:49
S18	5026197	@ad<"20010209"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/11 15:49
S19	140	S18 and array with position and encryption with key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/12 10:13
S20	. 1	"6185680".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/12 10:29
S21	5026197	@ad<"20010209"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/12 10:29

S22	9	S21 and encryption adj key and key with path with tree	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/12 11:04
S23	45	S21 and encryption adj key and key with tree	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/12 11:05
S24	1807	key adj matrix	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/14 09:51
S25	-12	key adj matrix	IBM_TDB	OR	ON	2006/07/14 10:24
S26	32	key adj matrix and ibm	US-PGPUB; IBM_TDB	OR	ON	2006/07/14 10:24
S27	20	key adj matrix and ibm	US-PGPUB	OR	ON	2006/07/14 10:24
S28	5026199	@ad<"20010209"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/14 10:24
S29	2	S27 and S28	US-PGPUB	OR	ON	2006/07/14 10:24

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	60	(path same tree same key).clm.	US-PGPUB	OR	ON	2007/01/30 10:01
L2	9	(matrix and key and path and encrypt\$5).clm.	US-PGPUB	OR	ON	2007/01/30 10:01